





JIMNY




 **SUZUKI**



Smart in City...Tough in Nature.





A formula for fun every day of the week.



A pleasure to drive, on and off the road.


Wherever you drive the Jimny, you'll feel comfortable and totally in control. The cockpit design is based on advanced ergonomic studies that helped determine the most natural placement and shape of components. For example, the stress-free driving position keeps you feeling fresh on long journeys, the steering wheel is positioned just right, and the large cockpit meters are clustered together to convey vital information at a glance.

The Jimny is as comfortable and functional as a family sedan. Its space-efficient layout seats four adult passengers in comfort. Headroom is more than ample, and Suzuki carved out extra space for feet, knees and elbows, so there's plenty of room to stretch.

Whether transporting goods or travelling with friends, the Jimny accommodates your needs. The sporty seats are large, comfortable and supportive during spirited driving. The rear seats fold back independently to make room for luggage of different shapes and sizes. When you want to take a nap, simply fold all the seats back.

Entering and exiting the Jimny is easy for people of all ages thanks to wide door openings, low side sills, and a front passenger seat that slides forward all the way to make room for rear seat passengers as they board or exit.

Pockets and compartments are strategically located for easy-access storage of maps, sunglasses, tissues and other small items. Handy power amenities like electric windows and power door locks are standard fare on the JLX model. Just as comforting is the airconditioning system that keeps everyone cool throughout the year.



Instrument cluster



*Power steering
(only JLX)*




Air conditioning



*Electric window
switches (only JLX)*



*Central door locking
(only JLX)*



*Electric window
(only JLX)*



*Electrical adjustable
outside mirror (only JLX)*




*Instrument panel
compartment
(non-airbag model)*




Glove box



*Door Pocket (up to open
(only JLX))*



Floor console tray



*Console box with
cup holder*



*Modified quarter trim with
pocket cup holder (up to open)*



Door armrest (up to open)



*Walk-in system
(storage unit)*



Full flat seat configuration




Separately folded rear seat



Both rear seats fully folded

Outstanding performance and safety.

The Jimny's sturdy 3-section ladder-type frame is a solid foundation for both serious off-road performance and smooth riding comfort. It floats on a 3-link coil suspension that handles highway curves and rocky



NEW 4X4 SUSPENSION

embankments with equal assurance. Separate shock absorbers and coil springs increase suspension travel and ensure smoother response. The ride is taut yet compliant, providing a high level of comfort.

Generous approach and departure angles let you climb banks with confidence, while rigid full-width axles help provide superior grip on any terrain. Drive Action 4x4 with an Air Locking Hub allows shifting between 4WD (4H) and 2WD modes while driving.

The Jimny's aluminium G13BB engine is notable for its quick response and high fuel efficiency. Water-cooled, with four in-line cylinders and electronic multi point injection, it accelerates effortlessly and generates torque in abundance. Power is transferred to the smooth-shifting 4-speed automatic or 5-speed manual transmission by way of a specially designed chain that minimises friction, noise and power loss.

The high-performance brake system includes large-diameter front disc brakes and a Load Sensing Proportioning Valve that helps prevent premature locking of the rear wheels during sudden braking and improves braking performance when the vehicle is fully loaded. Which means no matter what the situation the Jimny's super responsive brakes are always working to keep you out of trouble.

Comprehensive safety measures include a rigid body and frame that were refined through computer analysis to absorb the force of frontal impact and spread it away from the passengers. Side door beams are also incorporated to help preserve cabin integrity. All seats are equipped with 3-point ELR seatbelts. Active safety is heightened by excellent all round visibility that makes it easier to grasp the surroundings and respond accordingly.

ALL ALUMINIUM ENGINE






G13BB 4 cylinder 30HC 1.298CC
with electronic multi point injection

Maximum output
59kW/6,000rpm (DIN net)
Maximum torque
10.1Nm/4,500 rpm (DIN net)



* The vehicle must be travelling at less than 40km/h and in a straight line when switching from 2WD to 4WD (4H) or vice versa. Shifting between 4H and 4L (4H2L) is only possible when the vehicle is stopped.




Front disc brake


Rigid full-width axle

3-link coil, rigid-axle rear suspension


3-link coil, rigid-axle front suspension




Side door beam



Intermittent wipers



High mounted stop lamp



Rear window wiper and divider



Front 3-point ELR seatbelt



Rear 3-point ELR seatbelt



*Photo:JLX

*Some models shown are for European market
*Features and equipment may vary slightly for different markets

EQUIPMENT


	JLX	JX
Power steering	●	—
Electric windows	●	—
Central door locking	●	—
Electrically adjustable outside mirrors	●	—
Air conditioning	●	●
AM/FM Stereo/CD	●	●
INSTRUMENT PANEL		
Tachometer	●	●
Tripmeter	●	●
Digital clock	●	—
Cigarette lighter	●	●
Steering wheel (steering)	4-spoke: airbag 3-spoke: without airbag	
Steering lock	●	●
INTERIOR		
Cabin light (3 positions)	●	●
Sun visor (driver side)	●	●
Sun visor with vanity mirror (passenger side)	●	●
Day/night rearview mirror	●	●
Reclining and sliding front seats	●	●
Detachable front/rear seat head restraints	●	●
Wade-in system (passenger side)	●	●
Separate folding rear seats	●	●
Reclining rear seats	●	●
Full flat seats	●	●
Floor carpet	● (Fabric)	● (Vinyl)
Luggage compartment mat	● (Fabric)	● (Vinyl)
Door trim	Moulded, with padding	Moulded
Moulded quarter trim with pocket/cup holder	●	●
Door pockets	●	—
Door armrests	●	●
Console box with cup holder	●	●
Luggage compartment under tray	●	●
Ashtray	●	●
Assist grips (front & rear)	●	●
Fuel lid opener	●	●
EXTERIOR		
Halogen headlights	●	●
Front wipers (2-speed and intermittent)	●	●
Rear window wiper and washer	●	●
Rear window defogger	●	●
Green tinted glass windows	●	●
Coloured bumpers/body side moulding	●	●
Metallic Paint	Optional	Optional
Aluminium wheels	Optional	Optional
Wheel centre caps	●	●
Roof rail	●	—
Free wheel hubs (air hubs)	●	●
SAFETY & SECURITY		
Drive Action 4x4 system	●	●
Height adjustable seatbelt anchorage (front)	●	●
ELR front/rear seatbelts (3-position)	●	●
Collapsible steering	●	●
Side impact beams	●	●
Keyless entry/immobilizer	●	—
ABS plus dual SRS airbags	Optional	—

SPECIFICATIONS


		5MT	4AT
DIMENSIONS			
Overall length	mm	3,625	
Overall width	mm	1,600	
Overall height	mm	1,670*	
Wheelbase	mm	2,250	
Track	Front	mm	1,355
	Rear	mm	1,363
Ground clearance	mm	195	
Minimum turning radius	m	4.9	
WEIGHT			
Kerb weight (min.)	kg	1,025	1,030
Gross vehicle weight	kg	1,420	
ENGINE			
Type		G13BB	
Cylinders		4	
Number of valves		16	
Piston displacement	cc	1,298	
Bore x stroke	mm	74 x 75.5	
Compression ratio		9.5:1	
Maximum output	kW/rpm	59/6,000	
Maximum torque	Nm/rpm	104/4,500	
Fuel distribution		MPI	
Fuel consumption	City Cycle	litre/100km	8.0
	High Cycle	litre/100km	6.4
TRANSMISSION			
Gear ratios	1st	3.652	2.962
	2nd	1.947	1.515
	3rd	1.423	1.000
	4th	1.000	0.738
	5th	0.864	—
	Reverse	3.466	2.810
Final gear ratio		3.909	4.050
Transfer gear ratio	High	1.320	
	Low	2.145	
CHASSIS			
Steering		Ball joint	
Brakes	Front	Discs	
	Rear	Leading and trailing drums	
Suspension	Front	3-link coil, rigid-axle	
	Rear	3-link coil, rigid-axle	
Tyres		205/70R15	
CAPACITY			
Seating		4	
Fuel tank	litres	40	

* The overall height of the JLX model is 1,705mm.

SEAT MATERIAL



Fabric (JLX)



Vinyl (JX)

BODY COLOURS



Bordeaux red pearl



Cyprus blue metallic



Grove green pearl metallic



Saturn black metallic



Mars gold metallic



Planet gold metallic



Antares red



Superior white

All photos appearing in this brochure were shot on roads designated for vehicle use and with the specific permission of the relevant authorities.

Standard and optional equipment availability may vary for individual markets.

Please enquire at your dealer, as specifications and illustrations may refer to models not available in your region.

SUZUKI MOTOR CORPORATION reserves the right to change, without notice, prices, colours, materials, equipment, specifications and models, and also to discontinue models.

Part no. 99959-JIMNY-002

